

# PRICE LIST CONCRETE PUMPS FEBRUARY 2023

VI A

1 ------

1.

a te ti

DKK PER M<sup>3</sup> EXCL. VAT

3,500

24 m	31 m	36 m	42/46/50 m	63 m
103	124	134	172	186
4,800	5,250	5,350	5,650	8,600
1,395	1,710	1,860	2,430	2,640
	103 4,800	103 124 4,800 5,250	103         124         134           4,800         5,250         5,350	103     124     134     172       4,800     5,250     5,350     5,650

BILLED AT REGULATED VOLUME CORRESPONDING TO MINIMUM PUMPING OF 15 M<sup>3</sup>/PER HOUR.

CANCELLATION FEE	24 m	31 m	36 m	42/46/50 m	63 m
1 WORKDAY (MONFRI.) BEFORE THE TIME FOR WHICH THE PUMP WAS ORDERED	4,800	5,250	5,350	5,650	8,600
2 WORKDAYS (MONFRI.) BEFORE THE TIME FOR WHICH THE PUMP WAS ORDERED	3,600	3,950	4,025	4,250	6,450
<b>3 WORKDAYS</b> (MONFRI.) BEFORE THE TIME FOR WHICH THE PUMP WAS ORDERED	2,400	2,625	2,675	2,825	4,300

50% OF THE CANCELLATION FEE IS CHARGED FOR CHANGES OF DELIVERY TIME.

THE ABOVE PRICES AND TIMES APPLY TO NORMAL WORKING HOURS AND INCLUDE OPERATING BY 1 PERSON. THE ABOVE PRICES ONLY INCLUDE A PUMP EQUIPPED WITH A CONCRETE DELIVERY HOSE WITH ONE END, AN EXTRA CHARGE WILL BE ADDED FOR MORTAR FOR START-UP THE PUMP.

EXTRA SERVICES	DKK PER M <sup>3</sup> EX	XCL. VAT	
EXTENDED PIPE LENGTH UP TO 20 M PIPE/HOSE (INCL. OFF/ON RIGGING/WASHING THE PIPE)	DKK per task	2,566	
EXTENDED PIPE LENGTHS GREATER THAN 20 M PIPES/HOSES UP TO 50 M. (INCL. OFF/ON RIGGING/WASHING THE PIPE PLUS AN EXTRA PERSON)	DKK per task	4,420	
PIPE LENGTHS GREATER THAN 50 M, VOLUMES GREATER THAN 300 M <sup>3</sup> AND THE USE OF 4"HOSES	Call for a price		
EXTRA PERSON (FOR 4" HOSES, CELLAR/STOREY CASTING, VOLUMES GREATER THAN 300 M <sup>3</sup> , PIPE LENGTHS LONGER THAN 50 M, SAFETY REQUIREMENTS AND SPECIAL TASKS)	DKK per hour	386	
RATE PER EMPLOYEE OUTSIDE NORMAL WORKING HOURS 15.00-20.00 ON WEEKDAYS	DKK per hour	386	
RATE PER EMPLOYEE OUTSIDE NORMAL WORKING HOURS 20.00-07.00 ON WEEKDAYS	DKK per hour	773	
RATE PER EMPLOYEE ALL HOURS ON SATURDAYS, SUNDAYS AND PUBLIC HOLIDAYS	DKK per hour	773	
ROTARY DISTRIBUTOR SMALL MOTORISED INCL. OPERATOR (MIN. 4,500 DKK)	DKK per hour	1,336	
ROTARY DISTRIBUTOR 6-11 M EXTENDER ARM EXCL. OPERATOR (MIN. 2,500 DKK)	DKK per hour	842	
SLIDING DAMPER AND OTHER SPECIAL EQUIPMENT	Call for a p	rice	
ENVIRONMENTAL SURCHARGE (MIN. 500 DKK)	kr. per m <sup>3</sup>	36	
TECHNICAL ASSISTANCE/SITE INSPECTION	DKK per hour	1,500	
CLEANING OF PUMP ON SITE	No charg	e	

EXTERNAL CLEANING OF PUMP OFF- SITE



## **UNICON'S PUMPING POLICY - CONCRETE WITHOUT FIBRES**

120 mm

Due to the working environment, the use of 4" hoses should be avoided if possible.

CONCRETE WITHOUT FIBR	E	HOSE DIAMETER				PIPE/HOSE LENGTH				
TYPE AND CLASS OF STRENGTH	AGG. SIZE (mm)	DIRECT FROM THE MAST	2"	2.5″	3"	4"	0-25 m	25-40 m	46-60 m	60+ n
Ready-mixed concrete C16/20	8	<ul> <li>✓</li> </ul>	-	-	-	-	-	-	-	-
	16	<ul> <li>Image: A second s</li></ul>	-	-	-	-	-	-	-	-
	32	<ul> <li>Image: A second s</li></ul>	-	-	-	-	-	-	-	-
Ready-mixed concrete C20/25	8	<ul> <li>Image: A set of the set of the</li></ul>	<ul> <li>Image: A second s</li></ul>	<ul> <li>Image: A second s</li></ul>	<ul> <li>Image: A set of the set of the</li></ul>	<ul> <li>Image: A set of the set of the</li></ul>	<ul> <li>Image: A start of the start of</li></ul>	-	-	-
	16	<ul> <li>Image: A second s</li></ul>	-	-	<ul> <li>Image: A second s</li></ul>	<ul> <li>Image: A second s</li></ul>	<ul> <li>Image: A second s</li></ul>	-	-	-
	32	<ul> <li>Image: A second s</li></ul>	-	-	-	<ul> <li>Image: A second s</li></ul>	-	-	-	-
Ready-mixed concrete C25/30	8	<ul> <li>Image: A second s</li></ul>	<b>~</b>	<ul> <li>Image: A set of the set of the</li></ul>	<ul> <li>Image: A second s</li></ul>	<ul> <li>Image: A set of the set of the</li></ul>	<ul> <li>Image: A set of the set of the</li></ul>	-	-	-
	16	<ul> <li>Image: A second s</li></ul>	-	-	<ul> <li>Image: A second s</li></ul>	<ul> <li>Image: A set of the set of the</li></ul>	<ul> <li>Image: A second s</li></ul>	-	-	-
	32	<ul> <li>Image: A second s</li></ul>	-	-	-	<ul> <li>Image: A set of the set of the</li></ul>	<ul> <li>Image: A second s</li></ul>	-	-	-
Ready-mixed concrete C30/37	8	<ul> <li>Image: A second s</li></ul>	~	<ul> <li>Image: A second s</li></ul>	~	<ul> <li></li> </ul>	<ul> <li>Image: A start of the start of</li></ul>	<ul> <li>Image: A state of the state of</li></ul>	~	-
	16	~	-	-	<ul> <li></li> </ul>	<ul> <li></li> </ul>	<ul> <li></li> </ul>	<ul> <li></li> </ul>	~	-
	32	~	-	-	-	<ul> <li></li> </ul>	<ul> <li></li> </ul>	<ul> <li>Image: A second s</li></ul>	~	-
Ready-mixed concrete C35/45	8	~	~	<ul> <li>Image: A second s</li></ul>	<ul> <li></li> </ul>	<ul> <li></li> </ul>	<ul> <li></li> </ul>	<ul> <li></li> </ul>	~	~
	16	<ul> <li>Image: A second s</li></ul>	-	-	<ul> <li>Image: A start of the start of</li></ul>	<ul> <li></li> </ul>	<ul> <li>Image: A start of the start of</li></ul>	<ul> <li>Image: A state of the state of</li></ul>	~	~
	32	~	-	-	-	<ul> <li></li> </ul>	<ul> <li></li> </ul>	~	<ul> <li>Image: A start of the start of</li></ul>	~
Ready-mixed concrete C40/50 and C45/55	8	~	~	~	~	~	~	~	~	~
	16	~	-	-	<ul> <li>Image: A start of the start of</li></ul>	<ul> <li></li> </ul>	<ul> <li></li> </ul>	~	~	~
	32	~	-	-	-	~	~	~	~	~
Lava concrete C20/25	8	~	-	-	-	-	-	-	-	-
	16	~	-	-	-	-	-	-	-	-
.ava concrete C25/30	8	~	~	<ul> <li></li> </ul>	<ul> <li></li> </ul>	<ul> <li></li> </ul>	<ul> <li></li> </ul>	-	-	-
	16	~	-	-	<ul> <li></li> </ul>	<ul> <li></li> </ul>	<ul> <li>Image: A state of the state of</li></ul>	-	-	-
Lava concrete C30/37	8	~	~	<ul> <li></li> </ul>	<ul> <li>Image: A start of the start of</li></ul>	-				
	16	~	-	-	~	<ul> <li></li> </ul>	<ul> <li></li> </ul>	<ul> <li>Image: A second s</li></ul>	~	-
Lava concrete C35/45	8	~	~	~	<ul> <li></li> </ul>	~	<ul> <li></li> </ul>	~	~	~
	16	~	-	-	<ul> <li>Image: A second s</li></ul>	~	<ul> <li></li> </ul>	<ul> <li>Image: A start of the start of</li></ul>	~	~
Lava concrete C40/50 and C45/55	8	~	~	~	<ul> <li></li> </ul>	<ul> <li></li> </ul>	<ul> <li></li> </ul>	~	<ul> <li></li> </ul>	~
	16	~	-	-	<ul> <li>Image: A second s</li></ul>	<ul> <li></li> </ul>	<ul> <li></li> </ul>	<ul> <li>Image: A state of the state of</li></ul>	~	~
Floor concrete G1, G2 and G3	16	~	-	-	<ul> <li></li> </ul>	<ul> <li></li> </ul>	<ul> <li></li> </ul>	-	-	-
	32	~	-	-	-	~	<ul> <li>Image: A second s</li></ul>	-	-	-
Concrete for construction joints	8	~	~	~	~	~	<ul> <li>✓</li> </ul>	~	~	~

building site directly from the truck.

## **UNICON'S PUMPING POLICY - CONCRETE WITH STEEL/MACROFIBRE**

CONCRETE WITH STEEL/MA	CROFIBRE	HOSE DIAMETER			PIPE/HOSE LENGTH					
TYPE AND CLASS OF STRENGTH	AGG. SIZE (mm)	DIRECT FROM THE MAST	2"	2.5"	3" (Fibre op til 50 mm)	4" (Fibre greater than 50 mm)	0-25 m	25-40 m	46-60 m	60+ m
Ready-mixed concrete C20/25	8		-	-	-	-	-	-	-	-
	16		-	-	-	-	-	-	-	-
	32		-	-	-	-	-	-	-	-
Ready-mixed concrete C25/30	8		-	-	~	~	~	-	-	-
	16		-	-	~	~	~	-	-	-
	32		-	-	-	<ul> <li>Image: A second s</li></ul>	×	-	-	-
Ready-mixed concrete C30/37	8		-	-	<ul> <li>Image: A start of the start of</li></ul>	<ul> <li>Image: A start of the start of</li></ul>	<ul> <li>Image: A second s</li></ul>	~	-	-
	16		-	-	<ul> <li>Image: A start of the start of</li></ul>	~	<ul> <li>Image: A second s</li></ul>	~	-	-
	32		-	-	-	<ul> <li></li> </ul>	<b>~</b>	~	-	-
Ready-mixed concrete C35/45	8		-	-	<ul> <li>✓</li> </ul>	~	× .	~	~	~
	16		-	-	<ul> <li>✓</li> </ul>	~	<b>~</b>	~	<ul> <li></li> </ul>	~
	32		-	-	-	<ul> <li>Image: A set of the set of the</li></ul>	<ul> <li>Image: A second s</li></ul>	<ul> <li>Image: A second s</li></ul>	<ul> <li>Image: A start of the start of</li></ul>	~
Ready-mixed concrete C40/50 and C45/55	8		-	-	~	~	~	~	<ul> <li></li> </ul>	~
	16		-	-	<ul> <li>Image: A set of the set of the</li></ul>	<ul> <li>Image: A set of the set of the</li></ul>	<b>~</b>	~	<ul> <li>Image: A set of the set of the</li></ul>	~
	32		-	-	-	<ul> <li></li> </ul>	<ul> <li>Image: A start of the start of</li></ul>	~	<ul> <li>Image: A start of the start of</li></ul>	~
Lava concrete C20/25	8		-	-	-	-	-	-	-	-
	16		-	-	-	-	-	-	-	-
Lava concrete C25/30	32		-	-	-	-	-	-	-	-
	8		-	-	-	-	-	-	-	-
Lava concrete C30/37	16		-	-	<ul> <li>Image: A second s</li></ul>	~	<ul> <li>Image: A second s</li></ul>	~	-	-
	8		-	-	×	<ul> <li>Image: A start of the start of</li></ul>	<ul> <li>Image: A second s</li></ul>	<ul> <li>Image: A second s</li></ul>	-	-
Lava concrete C35/45	16		-	-	<ul> <li>Image: A set of the set of the</li></ul>	<ul> <li></li> </ul>	<ul> <li>Image: A second s</li></ul>	~	<ul> <li></li> </ul>	~
	8		-	-	<ul> <li>Image: A second s</li></ul>	<ul> <li>Image: A set of the set of the</li></ul>	<b>~</b>	<b>~</b>	<ul> <li>Image: A set of the set of the</li></ul>	~
Lava concrete C40/50 and C45/55	16		-	-	~	~	×	~	~	~
	8		-	-	~	<ul> <li>Image: A start of the start of</li></ul>	<b>~</b>	<ul> <li></li> </ul>	<ul> <li>Image: A start of the start of</li></ul>	~
Floor concrete	16		-	-	~	<ul> <li></li> </ul>	<ul> <li>Image: A second s</li></ul>	-	-	-
	8		-	-	-	~	<b>~</b>	-	-	-
Concrete for construction joints	16		-	-	~	~	~	~	<ul> <li></li> </ul>	-

REQUIREMENTS FOR SLUMP	MINIMUM	If slump ne
Steel fibre concrete	140 mm	building site

Length of steel fibres up to max. 50 mm, max 25 kg, length up to 80 mm: max 15 kg, macrofibre max 3.5 kg

If steel fibre is to be added above the limits stated or other types of fibre or other additives are to be used, please contact the pumping department.

Due to the working environment, the use of 4" hoses should be avoided if possible.

Slump concrete

eeds to be verified, this will be done on arrival at the ite directly from the truck.



## TERMS OF SALE AND DELIVERY FOR CONCRETE PUMPING

## 1 PRICES

- 1.1 The prices for concrete pumping are the prices stated in the price list exclusive of VAT and the environmental/regulatory fees that are applicable on the day of deliverv.
- 1.2 The prices apply to one-person service within normal working hours and within a driving distance of no more than 100 km.
- 1.3 Overtime, extra personnel and back-up pumps are charged for separately.
- 1.4 Unicon A/S invoices all concrete pumping services according to the pricelist that applies on the day of delivery.

#### PAYMENT 2

- 2.1 Up to the invoice date + eight days net (for private customers).
- 2.2 Up to current month + 15 days net.
- 2.3 Interest is charged for late payments, in addition a reminder fee of up to DKK 100 is imposed when sending a written reminder, according to interest law.

## 3 SETTING UP EQUIPMENT/DELIVERY

- 3.1 It is the buyer's responsibility to obtain the necessary permits for setting up in trafficked areas and notify at the site where delivery takes place.
- 3.2 Concrete pumping services are delivered to the place of use or as close to it as access conditions allow.
- 3.3 The buyer is responsible for indicting the location for setting up the concrete pumping equipment.
- 3.4 The buyer is responsible for ensuring that access conditions, the setup location etc. have sufficient bearing capacity for setting up the concrete pumping equipment. Any damage costs are to be covered by the buyer.
- 3.5 The time of delivery is when the concrete pumping equipment has been rigged 12.1 Any disputes shall be processed by the Danish Building and Construction and Unicon A/S is ready to start pumping concrete. Arbitration Board.

### 4 CHANGES AND CANCELLATION

- 4.1 If the buyer wants the time of delivery to be changed in full discharge, notification must be given no later than 3 working days (Mon-Fri) prior to the agreed date of delivery.
- 4.2 If the buyer wants changes to ordered agreements, this must be done in writina.

#### 5 CERTIFICATION

5.1 Concrete pumping is a separate service that Unicon A/S delivers and is not covered by Unicon A/S' certification system.

#### RECEIPT FOR DELIVERY NOTE 6

6.1  $\,$  For each concrete pumping service, Unicon A/S' pumping personnel complete  $\,$ a pumping note with all of the required information. The buyer or its representative must acknowledge receipt on the delivery note for the concrete pumping service and for any extra services with regard to the delivery.

#### USABILITY 7

- 7.1 Unicon A/S bears no responsibility if a pumping service is requested that is not suitable to the purpose
- 7.2 The buyer is responsible for indicating the location for setting up the concrete pumping equipment. The buyer must ensure that the concrete and its composition are suitable for concrete pumping.

## 8 PRODUCT LIABILITY

- 8.1 Unicon A/S has taken out product liability insurance.
- 8.2 If product liability is imposed on Unicon A/S by a third party, the buyer is obligated to indemnify Unicon A/S for the part of the compensation that exceeds DKK 15 million. In case of legal action, the buyer is obligated to allow itself to face legal action in the same court that processes the claim against Unicon A/S

#### OTHER LIMITATION OF LIABILITY 9

- Concrete pumping takes place in accordance with the buyer's instructions and 9.1 the buyer is responsible. Unicon A/S is only liable for impacts/changes in the concrete that detract from its quality if the buyer has given notification that the concrete has properties that can be impacted/changed when pumping concrete. Unicon A/S is neither liable for other quality-impacts/changes in the concrete nor depositing of the concrete.
- 9.2 In case of liability for delays, Unicon A/S' liability is maximised to the price of the delayed concrete pumping service.
- 9.3 In no case is Unicon A/S liable for operation loss, loss of time, loss of profit or other indirect loss
- 9.4 In case of any interruption of operations, machine damage or other breakdown of concrete pumps, Unicon A/S accepts no liability and no compensation is given.

### 10 COMPLAINTS

10.1 Any complaints shall be made in writing and immediately after (no more than 10 days after delivery) the buyer has or should have been aware of the condition, indicating the type and scope of the complaint. Otherwise the buyer has lost its right to make this claim later.

### 11 EXEMPTION FROM LIABILITY (FORCE MAJEURE)

11.1 Unicon A/S is exempt from liability in case of delays that are due to conditions stated in section 39 of AB 18

## 12 DISPUTES

Rev. November 2022



TO ORDER CONCRETE AND CONCRETE PUMPS Contact the plant directly by using the postal code after calling the "quick call" number 70130301

Call 70 10 05 60 Call 70 10 05 70 Call 70 13 03 60



Unicon A/S +45 70 10 05 90 Islands Brygge 43 info@unicon.dk 2300 Copenhagen S www.unicon.dk Unicon A/S is Denmark's largest producer and supplier of ready-mixed concrete. Unicon A/S has more than 33 concrete plants and employs approx. 400 employees. Unicon's history dates all the way back to 1926.